



# ***RANGE BROCHURE***

**MEIR ROOFING AND INSULATION SUPPLIES**



# CONTENTS

About Us	3
RapidRoof / RapidRoof Pro - <b>PMMA</b>	4
RapidRoof / RapidRoof Pro Buildup	5
RapidGutter / RapidGutter Pro - <b>PMMA</b>	6
Ponding Filler / Crack & Joint / Rapid Detailer	7
RapidDeck / RapidDeck Pro - <b>PMMA</b>	8
RapidDeck Car Park - <b>PMMA</b>	9
RapidRoof Technical	10
Elasto-Kote - <b>Elastomeric</b>	11
Elasto-Kote Asbestos Buildup	12
Elasto-Kote Metal Buildup	13
Elasto-Kote Single Ply Buildup	14
Elasto-Kote EPDM Buildup	15
Elasto-Kote Technical	16
FastCoat / FastCoat Pro - <b>Polyurethane</b>	17
FastCoat / FastCoat Pro Buildup	18
FastCoat Technical	19
RapidRepair - <b>Emergency Repair System</b>	20
Karnak 19 Ultra - <b>Under Water Repair System</b>	21
Training and Technical	22
Guarantees and Testing	23

## ASSOCIATIONS AND CERTIFICATIONS

LRS are members of the leading associations within roofing and waterproofing and all our products carry third party accreditation.

### LRWA

LRWA, the Liquid Roofing and Waterproofing Association consists of the leading manufacturers of liquid applied waterproofing, approved contractors and related material suppliers.

As an LRWA member, we are devoted to best in industry practice. We are dedicated to supplying the highest quality liquid applied waterproofing materials supported by our professional technical support. We continually review and improve our products inline with the changing environment to ensure we are at the leading edge of product development.

### NFRC

LRS are longstanding and proud affiliate members of NFRC helping to promote industry best practice through product supply and application.

Furthermore our dedicated roofing training centre is approved to deliver the practical elements of competent roofer and approved by the NFRC.

## CERTIFICATIONS

Certification and accreditation is at the heart of every product we manufacture and deliver, all our products are tested by third party testing houses and our product processes are externally audited to ensure consistency and quality.





# ABOUT US



## LRS LEADING THE WAY IN LIQUID WATERPROOFING

Since 2004, LRS have manufactured and distributed high performance waterproofing solutions for the building, roofing and construction industries. All our systems are leaders in their respective markets due to their unique credentials in waterproofing, longevity and application speed, making them the preferred choice for quality & cost-effective applications.

We focus on liquid applied products as we believe liquids provide the most cost effective waterproofing solutions on the market. These systems allow flexibility in application for even the most detailed of roofs and their rate of application reduces both time and disruption on site.

Furthermore, with the increasing pressure on projects to eliminate site waste and reduce environmental impact, the very nature of liquid systems means that waste is reduced to an absolute minimum.

Our systems are available nationwide from all good roofing and builders merchants.

## PROJECT SPECIFICATIONS

If your project requires specifications and pricing, then get in touch with our team. We have a full technical team on hand to discuss all enquiries.

To find your local distributor contact our office on **01405 780444**.



All our systems are available both as a standard version offering a 10 year guarantee or as a professional version offering extended 15, 20 and 25 year guarantees. Whilst both versions are manufactured to the same high quality using the best raw materials our professional specification products are designed to last longer, are NHBC backed with the highest accreditation and are accepted for new build construction.

Pro systems are only available for application by approved contractors, to find an approved contractor or to know how to join our approved contractor scheme contact our team on **01405 780444**.

# PMMA SYSTEM

UP TO  
**20 YEAR**  
Guarantee  
★ ★ ★



RapidRoof is LRS' unique PMMA, high performance, rapid curing, cold liquid applied range of waterproofing systems. With a typical curing time of 20 minutes our Rapid Range of products are suitable for year round application. Applied by brush or roller, RapidRoof is one of the fastest and most cost effective waterproofing options for both commercial and residential projects.

With over 200% elasticity RapidRoof is tough, yet flexible enough to deal with most roof movement, unlike rigid systems. The RapidRoof range comes with our manufacturers product guarantee of up to 20 years, is UV stable and typically cures within 20 minutes.

RapidRoof is ideal for domestic projects or small industrial roofs and is available with an Anti-Skid finish for designated walkways, balconies or as a standalone waterproofing system, in grey as standard or black if required (please call for other colour requirements, subject to minimum orders).

RapidRoof is a 2-component system which is simple to apply and due to its liquid application and versatility to adhere to most surfaces, RapidRoof will self terminate, in most cases eliminating the requirement for flashings, new trims and expensive detailing.

Cold weather application - designed to cure down to 0°C RapidRoof allows application even during the coldest of weather.



RapidRoof Pro is our highest specification flat roofing product which has all the same benefits provided by standard RapidRoof but by incorporating a reinforcement matting provides extended guarantees of up to 20 years.

Available exclusively to LRS approved contractors, RapidRoof Pro is backed by a BDA and is NHBC accepted. Making it ideal for new build construction when speed of application and curing times are important.

With over 200% elasticity RapidRoof Pro is tough, yet flexible enough to deal with most roof movement, unlike rigid systems. This system comes with our manufacture's product guarantee of up to 20 years. It's UV stable and typically cures within 20 minutes.


RapidRoof Pro is ideal for domestic flat roofing projects or small industrial roofs and is available with an Anti-Skid finish for designated walkways, balconies or as a standalone waterproofing system.

Suitable for application on to: OSB3 roofing boards, mineral felt, asphalt, concrete, metal, fibre glass and compatible with standard GRP trims.



### TYPICAL 10 YEAR RAPIDROOF BUILD-UP

**RapidRoof Primer**  
0.3kg per m<sup>2</sup>



\*Primer required on some surfaces



### TYPICAL 20 YEAR RAPIDROOF PRO BUILD-UP

**Joint Tape**  
150 gsm

**RapidRoof TopCoat**  
0.75kg per m<sup>2</sup>

**Reinforcement Matting**  
150 gsm

**RapidRoof Primer**  
0.3kg per m<sup>2</sup>

**RapidRoof BaseCoat**  
1.25kg per m<sup>2</sup>

\*Primer required on all surfaces



**20 MINUTE  
CURE**







Based on our RapidRoof formulation, RapidGutter is a fast curing, cold liquid applied PMMA. Tough and durable enough to deal with high risk leak areas such as gutter coatings.

With a typical curing time of 20 minutes our rapid range of products are suitable for year round application. Applied by brush or roller, RapidGutter is one of the fastest and most cost effective waterproofing solutions. Suitable for both commercial and residential projects, ideal for high risk leak areas and gutter coatings.

With over 200% elasticity RapidGutter is tough, yet flexible enough to deal with most roof movement, unlike rigid systems. RapidGutter is designed to be applied directly onto most surfaces without the need for primer.

With continued exposure to flowing and standing water, gutters are one of the biggest causes of failed roof systems. Given that RapidGutter is cold liquid applied, it provides a flexible solution to all gutter shapes and sizes.


RapidGutter is a 2-component simple to apply system due to its liquid application and versatility to adhere to most surfaces.

Cold weather application – designed to cure down to 0°C RapidGutter allows application even during the coldest of weather.


3kg = 10 joints at 1m x 0.15m



#### TYPICAL 10 YEAR RAPIDGUTTER BUILD-UP



#### TYPICAL 15 YEAR RAPIDGUTTER PRO BUILD-UP





RapidRoof Crack and Joint Filler is a three-component resin mortar, designed for rapid and permanent repairs.

Crack and Joint Filler is the fast curing, high strength, trowel applied part of the RapidRoof system which delivers excellent adhesion, good chemical resistance, and fast curing properties, even at low temperatures.



RapidRoof Ponding Filler is a two-component resin mortar, designed for rapid and permanent repairs.

Ponding Filler is a high strength, fast curing, impact and abrasion resistant part of the RapidRoof system and has excellent mechanical properties, good chemical resistance and frost resistance which is impervious to water. Used to fill ponded area by pouring onto the primed floor and trowel finished.



As part of the RapidRoof product range, Rapid Detailer is designed to provide waterproofing cover for upstands, pipes and hard to reach detailed areas that are difficult to reinforce.

RapidRoof Detailer benefits from the same great features of RapidRoof including its cure time, durability, and flexibility, with the additional benefit that it contains premixed fibres which provides additional strength and allows for secure detailing of difficult areas.

RapidRoof Detailer can be applied in a single coat and is suitable for application onto most surfaces with exceptional adhesion properties. With over 200% elasticity, full flexibility, high tensile strength, and UV stable RapidRoof Detailer provides a long-term waterproofing which will not crack or become brittle over time.

Simple to apply and robust enough to deal with most roof detailing, RapidRoof Detailer is the ideal product to help with difficult roofs.







RapidDeck is LRS' unique, high performance rapid curing, cold liquid applied PMMA traffic coat. Designed specifically to coat areas with high volume foot, RapidDeck is tough and robust yet flexible.


RapidDeck is designed to be durable enough to withstand both heavy traffic and exposed conditions.

Premixed with an anti-skid aggregate, RapidDeck provides all the features of RapidRoof with the added benefits of an exceptionally hard wearing topcoat designed to protect the substrate whilst simultaneously reducing the risk of skidding. With a variety of finishes available this range includes protection for all types of trafficked surfaces including footpaths, car parks, ramps, balconies, terraces and factory floors.

A rapid curing flooring solution for both domestic and commercial applications, designed for the toughest environments RapidDeck is guaranteed for up to 20 years.




#### TYPICAL 10 YEAR RAPIDDECK BUILD-UP



\*Primer required on some surfaces



#### TYPICAL 15 YEAR RAPIDDECK PRO BUILD-UP



\*Primer required on all surfaces






RapidDeck is a cold applied, fully bonded, seamless, PMMA resin-based car park coating system. It is a rapid curing membrane that provides a tough finish coupled with up to 200% elasticity. With an anti-skid topcoat which is available in various colours subject to minimum order quantity.


RapidDeck provides a cured membrane ideal for vehicle traffic with great flexibility and fast application. RapidDeck is designed for both commercial and residential car parks.

RapidDeck is a 2-component system which is simple to apply due to its liquid application and versatility to adhere to most surfaces. RapidDeck will self terminate, in most cases eliminating the requirement for flashings and expensive detailing materials.


Its fully bonded application prevents tracking of water and its seamless finish eliminates the risk inherent in jointed systems.




## TYPICAL MIDDLEDECK BUILD-UP





## TYPICAL RAMP BUILD-UP



## TYPICAL TOPDECK BUILD-UP



TECHNICAL STATISTICS	
Dry film thickness:	1.5mm - 2mm
Application rate:	1.5kg / 2kg m <sup>2</sup>
Cure time:	20 minutes
Fire test:	AC
Application temperature:	0°C - 40°C
Specific gravity:	1.65g / cm <sup>3</sup>
Load Strength:	150N
Elongation:	200%

SUITABLE SURFACES (Detailing Primer required)		
		
Concrete	Fully prime ✓	Fully prime ✓
Mineral felt	Prime joints ✓	Fully prime ✓
Asphalt	Prime joints ✓	Fully prime ✓
OSB3	Prime joints ✓	Fully prime ✓
Metal	Prime joints ✓	Fully prime ✓
Fibre glass / GRP	Prime joints ✓	Fully prime ✓
Single Ply	Fully prime ✓	Fully prime ✓

PRODUCT RANGE TABLE			
PRODUCT	SIZE	CODE	COLOUR
Detailing Primer	1.5kg	RRGP1.5	Clear
Detailing Primer	3kg	RRGP3	Clear
Detailing Primer	5kg	RRGP5	Clear
Waterproof	5kg	RRWP5	Black & Grey
Waterproof	7.5kg	RRWP7.5	Black & Grey
Waterproof	10kg	RRWP10	Black & Grey
Anti-Skid	5kg	RRAS5	Black & Grey
Anti-Skid	10kg	RRAS10	Black & Grey
Joint Tape	100mm x 25m	RRJT25	White
Joint Tape	100mm x 180m	RRJT180	White
Chopped Strand Matting	1m x 25m	RRCSM125	White
Chopped Strand Matting	1m x 180m	RRCSM1180	White
Waterproof Kit	5m <sup>2</sup>	RRWPKIT5	Black & Grey
Waterproof Kit	10m <sup>2</sup>	RRWPKIT10	Black & Grey
Waterproof Kit	20m <sup>2</sup>	RRWPKIT20	Black & Grey
Anti-Skid Kit	5m <sup>2</sup>	RRASKIT5	Black & Grey
Anti-Skid Kit	10m <sup>2</sup>	RRASKIT10	Black & Grey
Anti-Skid Kit	20m <sup>2</sup>	RRASKIT20	Black & Grey
Waterproof & Anti-Skid Kit	5m <sup>2</sup>	RRWPASKIT5	Black & Grey
Waterproof & Anti-Skid Kit	10m <sup>2</sup>	RRWPASKIT10	Black & Grey
Waterproof & Anti-Skid Kit	20m <sup>2</sup>	RRWPASKIT20	Black & Grey
Ponding Filler Kit	17kg	RRPF17	Grey
Crack & Joint Filler	10kg	RRCJF10	White
Catalyst	200g	RRC10	White
RapidRoof Pro Detailer	3kg	RRPRO3	Grey
RapidDeck Primer	5kg	RDP5	Clear
RapidDeck Primer	5kg	RDP5	Clear
RapidDeck Primer	25kg	RDP25	Clear
RapidDeck Waterproof	5kg	RRWP5	Grey
RapidDeck Waterproof	7.5kg	RRWP7.5	Grey
RapidDeck Waterproof	10kg	RRWP10	Grey
RapidDeck Scratch Coat (A)	25kg	RDSCPA25	White
RapidDeck Scratch Coat (B)	25kg	RDSCPA26	White
RapidDeck Top Coat	25kg	RDTC25	Grey
RapidDeck Quartz Aggregate	25kg	RDQA25	White
RapidDeck Quartz Aggregate	25kg	RDQA25	White

# ELASTOMERIC SYSTEM



## KARNAK ELASTO-KOTE®

Elasto-Kote is an SEB / SEBS thermoplastic waterproofing system designed specifically for application onto pitched roofs and ideal for metal, coated metal, concrete and asbestos surfaces. Built-in Rust Inhibitor and FM approved, Elasto-Kote offers an exceptionally high performing waterproofing elastomeric system.

Our product is a single component self-priming SEBS elastomeric thermoplastic which is applied in 2/3 coats and comes with a 10 year product guarantee as standard (extended guarantees available).

Elasto-Kote is a highly elastic waterproof roofing system specifically designed for waterproofing pitched metal, coated metal, concrete and asbestos roofs (also compatible with spray foam insulation). Up to 85% solar reflective system with 650% elongation.

This system is resistant to ponding, making it suitable for the entire roof structure including drainage. The product can be applied above 5°C and cures within 4 hours, typically shower proof in 30 minutes. Suitable for applications using brush, roller or with the use of an airless sprayer the application of Elasto-Kote is both fast and simple.

Suitable for application on to: metal, plastisol, asbestos, fibre cement, pitched roofs and for encapsulation, expanded foam and profile surfaces.

Elasto-Kote can be spray applied using an airless sprayer making it ideal for rapid application to corrugated surfaces and offering 10 and 15 year option guarantees. A 2/3 coat application without primer, leaving a highly reflective light grey or portland grey finish and offering a full waterproofing solution extending the roof life expectancy.

### METAL PROFILE ROOFS

Metal profile roofs, if not maintained, rapidly become vulnerable to accelerated deterioration through weathering, resulting in delamination of surface coating and rust. Elasto-Kote has a built in primer and rust inhibitor formulation.

The system also comes with detailing materials and reinforcement tape allowing complete roof renovation and restoring the roofs waterproofing structure, giving the appearance of a brand new roof with 10 and 20 year waterproof guarantees available (application dependant).


### FLAT ROOF APPLICATIONS

Elasto-Kote is resistant to ponding water making it ideal for overcoating existing flat surfaces. Suitable surfaces include single ply and EPDM sheet roofing. Please contact our technical team for specific application specifications and to check project suitability.



# ELASTO-KOTE.


## TYPICAL 10 YEAR ASBESTOS BUILD-UP



## ASBESTOS APPLICATION

# ELASTO-KOTE **PRO**®

## TYPICAL 15 YEAR ASBESTOS BUILD-UP



# ELASTO-KOTE®

## TYPICAL 10 YEAR METAL BUILD-UP

**Elasto-Kote TopCoat**  
0.6ltr per m<sup>2</sup>

**Karna-Flex**  
Detail bolt heads

**Elasto-Kote BaseCoat**  
0.6ltr per m<sup>2</sup>

**Karna-Flex**  
Detail side and midlap

## METAL APPLICATION

# ELASTO-KOTE **PRO**®

## TYPICAL 20 YEAR METAL BUILD-UP

**Elasto-Kote TopCoat**  
0.6ltr per m<sup>2</sup>

**Karna-Flex**  
Detail bolt heads

**Elasto-Kote MidCoat**  
0.6ltr per m<sup>2</sup>


**Elasto-Kote BaseCoat**  
0.6ltr per m<sup>2</sup>

**Karna-Flex**  
Detail side and midlap



# ELASTO-KOTE.


## TYPICAL 10 YEAR SINGLE PLY BUILD-UP



## SINGLE PLY APPLICATION

# ELASTO-KOTE **PRO**®


## TYPICAL 20 YEAR SINGLE PLY BUILD-UP





# ELASTO-KOTE®


## TYPICAL 10 YEAR EPDM BUILD-UP



## EPDM APPLICATION

# ELASTO-KOTE *PRO*®

## TYPICAL 20 YEAR EPDM BUILD-UP



# KARNAK ELASTO-KOTE®

## BENEFITS

✓ <b>Sprayable</b>	✓ <b>Self-Priming</b>	✓ <b>650% Elongation</b>
✓ <b>2/3 Coat Application</b>	✓ <b>85% Solar Reflective</b>	✓ <b>Single Component</b>

## TECHNICAL STATISTICS

Dry film thickness:	1.8ltr 1.2-1.8mm
Application rate:	1.2ltr - 2ltr
Cure time:	Min overcoat 12-24 hours
Fire test:	FM approved
Application temperature:	+5°C - 40°C
Specific gravity:	1.05 - 1.15 (H2O=1)
Load strength:	1650 psi
Elongation:	650%

## BONDS TO (No primer required)

Metal	✓
Asbestos	✓
Concrete	✓
Fibre cement	✓
Single Ply	✓
TPO	✓
EPDM	✓

## PRODUCT RANGE TABLE

PRODUCT	SIZE	CODE	COLOUR
Elasto-Kote	18.9ltr	EK502BC19LG	Light Grey
Elasto-Kote	18.9ltr	EK502BC19W	White
Elasto-Kote	18.9ltr	EK502BC19PG	Portland Grey
Karnaflex	850ml	KF0.8W	White
Karnaflex	3.4ltr	KF3.4G	Grey
Karnaflex	3.4ltr	KF3.4B	Black
Karnaflex	10.5ltr	KF10.5G	Grey
Karnaflex	10.5ltr	KF10.5B	Black
Karnaflex Tape	100mm	KFT100	White
Karnaflex Gun	-	KFGUN	-
799 Cleaner	1ltr	799W	Clear pink liquid
507 Primer Wash	3.4ltr	507PW	Clear yellow liquid
507 Primer Wash	18.9ltr	507PW	Clear yellow liquid



## PURE POLYURETHANE SYSTEM



FastCoat is LRS' single component liquid applied pure polyurethane range, which provides fully bonded, tough and durable seamless waterproofing systems. By using our exclusive pure polyurethane technology, we deliver systems which ensure long performance life and exceptional UV resistance.

Polyurethanes are known for their exceptional strength and elastic properties, with this in mind FastCoat offers complete systems for waterproofing roofs, balconies, gutters and walkways.

With FastCoat's fast cure technology, unlike many alternatives FastCoat is able to offer substantial reductions in application time, saving significant amounts of project costs and reducing site disruption. Typically showerproof in 30 minutes and fully cured in approximately 4 hours. Smaller projects can often be completed in a day.

Its fully reinforced specification makes FastCoat suitable for flat, pitched and vertical applications. Our standard FastCoat system comes with a 10 year guarantee as standard.



FastCoat Pro is LRS' premier roof waterproofing system which offers an extended guarantee of up to 25 years. A fully reinforced, single component pure polyurethane system, FastCoat Pro offers an exceptional long-term solution to flat roof waterproofing, balconies and walkways.


Highly elastic to cope with normal roof movement and with the addition of FastCoat Traffic Coat it is exceptionally tough, making it ideal for balconies and walkways. FastCoat Pro is seamless and fully bonded to provide the best solution for green roof waterproofing.

Because of their exceptional strength and elastic properties, polyurethanes are a popular choice for flat roofing contractors. FastCoat Pro pure polyurethane system is BBA certified for new roof installations and fully accepted by NHBC.

Only available to LRS' approved contractors because FastCoat Pro is our extended Pro version of FastCoat, which requires training by one of LRS' expert training managers to enable use to the right specification.

Suitable for application onto: OSB3 roofing boards, mineral felt, asphalt, concrete, metal, fibre glass and compatible with standard GRP trims.






**WET ON WET**


**TYPICAL 10 YEAR FASTCOAT BUILD-UP**

**FastCoat Primer (if required)**  
Up to 0.3kg per m<sup>2</sup>



**TYPICAL 25 YEAR FASTCOAT PRO BUILD-UP**

**FastCoat Primer (if required)**  
Up to 0.3kg per m<sup>2</sup>



## BENEFITS

✓ **Fast Curing**

✓ **30 Mins Showerproof**

✓ **Single Component**

✓ **Applied In 2 Coats**



✓ **Seamless**

✓ **Extremely Elastic**

## TECHNICAL STATISTICS

Dry film thickness:	Minimum 1.5mm
Application rate:	1.5kg - 2.25kg
Cure time:	2-4 hours
Fire test:	Broof t4
Application temperature:	+5°C - 35°C
Specific gravity:	1.3g / cm <sup>3</sup>
Load strength:	14N/mm (150 34-1)
Elongation:	600%

## SUITABLE SURFACES (Primer required)

		
OSB3	No primer ✓	No primer ✓
Mineral felt	Dry porous flex ✓	No primer ✓
Asphalt	Dry porous flex ✓	No primer ✓
Concrete	Dry porous flex ✓	Dry porous flex ✓
Metal	Rust Inhibiting ✓	Rust Inhibiting ✓
Fibre glass / GRP	PU primer ✓	PU primer ✓
Single Ply	PU primer ✓	PU primer ✓

## PRODUCT RANGE TABLE

PRODUCT	SIZE	CODE	COLOUR
FastCoat	5kg	FC5	Dark Grey - RAL 7011
FastCoat	10kg	FC10	Dark Grey - RAL 7011
FastCoat	25kg	FC25	Dark Grey - RAL 7011
FastCoat Pro DG	5kg	FCP5DG	Dark Grey - RAL 7011
FastCoat Pro DG	10kg	FCP10DG	Dark Grey - RAL 7011
FastCoat Pro DG	25kg	FCP25DG	Dark Grey - RAL 7011
PU Primer	4kg	PUP4	Clear
PU Primer	20kg	PUP20	Clear
Porous Primer Flex	4kg	FCPPF4	Clear
Rust Inhibiting Primer	11kg	PUZNP11	Clear
Rust Inhibiting Primer	27.7kg	PUZNP27	Clear
2 Part Humidity Primer	5kg	2PHP5	Clear
2 Part Humidity Primer	18kg	2PHP18	Clear
BaseCoat Thinner	4kg	FCBCT4	Clear
BaseCoat Thinner	20kg	FCBCT20	Clear
Traffic Coat	4kg	FCBC4	Clear
Traffic Coat	25kg	FCBC25	Clear
Emery Aggregate	25kg	FCEA25	Brown
PU Joint Sealer	600ml	PUJS600	Grey
PU Joint Sealer Gun	N/A	PUJSGUN	N/A
Butyl Tape	100mm	FCBT100	White
Reinforcement Matting	1m x 25m	CSJT125	White
Reinforcement Matting	1m x 130m	CSJT1130	White





The 20 minute cure emergency repair. As part of the RapidRoof range, this product is specifically designed to provide an emergency solution for leaking roofs, gutters and other surfaces which have suffered damage or present a risk of leaking.

RapidRepair offers all the same great features of the unique RapidRoof formula with the addition of premixed fibres, providing greater strength and bridging properties allowing a faster and more effective application to acute areas of damage requiring repair.

As part of the RapidRoofs family of products, RapidRepair can be applied in a single coat and is suitable for application onto most surfaces with exceptional adhesion properties. With over 200% elasticity, full flexibility, high tensile strength and UV stable, RapidRepair provides a long-term repair which will not crack or become brittle over time.

Simple to apply and robust enough to deal with most roof repairs, RapidRepair is the ideal product to keep on hand.

#### BENEFITS

✓ Self-Priming	✓ 20 minute cure
✓ Single Component	✓ Premixed fibres
✓ 200% elasticity	✓ Cures down to 0°C






Karnak 19 Ultra Flashing Cement is the next generation of elastomeric flashing cement. Designed as the most time saving and cost effective roof leak repair product on the market. It is therefore used to cover cracks in failing systems because this product can reseal a leak instantaneously and can even be applied UNDER WATER.

Scientifically compounded with a selection of rubber reinforced asphalt, mineral fibres, and refined solvents. 19 Ultra is therefore manufactured to a heavy pliable consistency for easy application by trowel. 19 Ultra provides a durable elastomeric coating of greater strength, excellent adhesion and high resistance to water and weathering.

19 Ultra is excellent for sealing cracks in concrete and brick, as a joint filler for precast roof slabs, for repair, patch and flashing detail on SBS and APP modified membranes, and for general purpose use in maintenance of exposed buildings and structures.

There is no better instant roof leak repair system on the market right now than Karnak 19-Ultra.



#### BENEFITS



**Works under water**



**Instant**



**Permanent**



**Elastic**



**Cost effective**



**Wet & dry surfaces**

## TRAINING

### BECOME AN LRS APPROVED CONTRACTOR

As a member of LRWA and accepted by the NFRC, we are passionate about waterproofing standards and ensuring contractors are fully trained on our systems so that projects are completed quickly and effectively.

Whilst our systems are designed to be comprehensive to apply and do not require application by an approved contractor, in order to get the best performance and benefit from extended guarantees we offer approved contractor status on all our systems.

### APPROVED CONTRACTOR STATUS

LRS run approved contractor training schemes on all our systems. We also offer contractors full support and a preferred contractor list to building owners.

As an approved contractor you will receive exclusive access to our Pro systems across all our ranges including RapidRoof Pro, RapidGutter Pro, RapidDeck Pro, FastCoat Pro and Elasto-Kote Pro. These are the third-party accredited systems which offer BBA, BDA, FM and NHBC accepted applications for New Build.

### 1 DAY TRAINING COURSE

Our approved contractor training is a comprehensive 1-day programme which is highly recommended for both experienced liquid applicators and contractors new to liquid applied systems, as it provides valuable time saving tips and essential techniques.

## TECHNICAL

At the heart of everything that LRS does is our dedication to product performance and technical excellence.

We believe that liquid waterproofing provides the best solutions for flat and pitched roofs, gutters, tanking and car parks.

We are dedicated to continually improving the quality of both our products and our service. We have a dedicated technical support team, supported by field based technical managers who can provide site specific specifications, telephone or onsite support.

Further information about specific technical data can also be made available upon request by contacting our technical team who will be happy to help and can email the required information. For site specific specifications please contact the technical team on **01405 780444**.



**BECOME AN  
APPROVED  
CONTRACTOR**







**UP TO  
25 YEAR  
GUARANTEE**



## GUARANTEES AND TESTING

Our systems are tested to the highest standards to ensure they are fit for purpose and deliver exceptional performance.

We only manufacture and distribute high performance materials and as such all our systems come with a 10 year guarantee as standard, with our pro ranges offering extended guarantees of up to 25 year.

Our products are third party accredited by the largest testing houses in Europe and the United States including BBA, BDA and Factory Mutual. Our production processes are externally audited to ensure complete quality control.

We continually test our products to the latest standards and whilst our testing certificates are available on our website our technical team are on hand to deal with specific test enquiries.

PRODUCT GUARANTEES BREAKDOWN	
	10 year guarantee
	Up to 20 year guarantee
	10 year guarantee
	15 year guarantee
	10 year guarantee
	Up to 20 year guarantee
	10 year guarantee
	10 year guarantee
	Up to 25 year guarantee
ELASTO-KOTE.	10 year guarantee
ELASTO-KOTE <b>PRO.</b>	Up to 20 year guarantee





## MEIR ROOFING AND INSULATION SUPPLIES

📍 Unit C1, M62 Trading Estate, Larsen Road,  
Goole, East Yorkshire, DN14 6XF

☎ 01405 780444

✉ [sales@meir-roofing.co.uk](mailto:sales@meir-roofing.co.uk)

🌐 [www.meir-roofing.co.uk](http://www.meir-roofing.co.uk)

