



Meir Roofing and Insulation Supplies supply all types of roof waterproofing systems to contractors, specifiers and clients across the whole of the UK from their base in the North of England. Whatever you require, from traditional roofing materials such as torch-on membranes, liquid waterproofing, mastic asphalt, insulation, sheeting and cladding, lead or copper, to green roofing or bio-diverse packages, we are able to help.

Our staff are experienced, highly trained and motivated personnel in all aspects of roofing and are there to help you whatever your requirement may be, large or small. We are committed to protecting the environment and purchase from renewable sources wherever possible.



LIQUID WATERPROOFING

Acrylic, Asbestos Encapsulation, Balcony Coat, Car Park, Cladding Coating, Roof light repair Refurbishment, Gutter lining

BITUMEN TORCH-ON MEMBRANES

APP, SBS and APAO modified, Self-adhesive, Heat activated, Anti-root, Tanking, Vapour barriers

MASTIC ASPHALT

Roofing, Flooring and Paving, Polymer Modified, Tanking

SINGLE PLY

PVC, TPO, EPDM Membranes, Trims and Termination Bars, Seaming Strips, Adhesives, Tools

INSULATION

PUR / PIR, Extruded Polystyrene, Expanded Polystyrene, Cut to Falls, Foamglass, Cement Topped XPS, Phenolic, Linear Firestops, Acoustic Infill, Reflective Foil, Mineral Wool

GREEN ROOFS AND LIVING WALLS

Intensive, Extensive, Bio Diverse, Stud Membranes, Geotextiles, Paving Slabs, Drainage Mats

HOT MELT

Fully bonded hot melt system

PROMENADE AND WALKWAY

Glass Reinforced Concrete, Rubber Walkways, Paving Slabs, Equestrian and Playgrounds, Porous Concrete, PU Adhesive and Tile Spacers, Pave Pad Supports

SOLUTIONS

Bitumen Primers, Aluminium Paint, Solar Reflective Paint, Sealants, Polyurethane Adhesive

PROFILED SHEETING AND DECKING

Metal Sheeting, Tile or Slate Effect, Fibre Cement, Decking, Trims and Fixings, Roof lights, Barrel Vaults, Bitumen Corrugated Sheets, Flashings, Composite Panels

PITCHED ROOFING

Natural, Rubber and Fibre Cement Slates, Breathable and Non-Breathable Membranes, Architectural Ridge Tiles and Fittings, Velux Windows, Chimney Pots, Ventilation

SUNDRIES

Vents and Outlets, Lead Replacement Flashing, Trims and Edges, Protection Boards, Roof lights, Polythene Sheets, Radon Barriers, Methane Barriers

FOR MORE INFORMATION ON THE COMPLETE MEIR ROOFING RANGE CONTACT:

Unit C1, M62 Trading Estate, Larsen Road, Goole, East Yorkshire, DN14 6XF


Tel:01405 780444 **Fax:**01405 780445 **Email:**sales@meir-roofing.co.uk

euro

POLYMERS GB

Innovative Liquid Systems

October 2015 Edition



**For Flat Roofs, Balconies, Gutters, Car Parks, Podium Decks
Cut Edge Corrosion, Cladding, Glazing, Metal and Asbestos**



Quantum range of liquid roofing coatings have been designed in conjunction with The University of Sheffield Polymer Centre and are a leap forward in polymer technology.

Manufactured in the UK to meet UK exacting climates and tested to the harshest levels “The Florida test” the Quantum range of liquid solutions can be used on both new build and refurbishment projects.

Euroshield P5 & P10

Rapide One

Eurotec SPO One

Eurotec Bitumen Overlay

Eurotec WB

Eurotec Ultra

Eurotec Ultra BUR

quantum





Euroshield P5 & P10

Guaranteed Flexible Elastomeric Waterproofing for Flat and Pitched Roofs

Euroshield is a liquid applied moisture tolerant system which has been specifically designed to provide an excellent price to performance ratio and is available with a 5 or 10 year product guarantee as standard.



Benefits

- Simple and rapid application without the requirement for a reinforcing glass mat
- Air cured so the system can be applied at low temperatures
- Instantly shower proof
- Cold applied, no hot works insurance required
- No further solar reflective treatment required
- Units can be opened and resealed with no surface skin inside the tin
- Fire tested to Broof(t4)



Euroshield P5 & P10



Applications

- Mastic asphalt
- Sanded bituminous felt
- Mineral bituminous felt
- Concrete deck
- Timber deck



Before



After





Rapide One

Rapide One

Rapide One is a fast curing, fully reinforced one coat roofing system suitable for all year round application. Fast curing, with a seamless finish, Rapide One saves time and reduces build schedules.

Available with guarantees up to 25 years.

Benefits

- Cold applied, no hot works insurance required
- Rapid curing system at both low and high temperatures (-5°C to 40°C)
- No need to strip the roof deck
- No re-decking cost as tongue and grooved OSB is not usually required
- No over-boarding required so no need to re-assess the structure for additional weight
- No waste licence required for disposal of old roofing components
- Not reliant on specific temperatures or humidity to cure the system using a pre-weighed catalyst avoiding mistake
- The full system can be cured in 1 hour minimising onsite costs
- Instantly waterproof even when not fully cured
- Fire rated to Broof (t4)



Eurotec SPO One


Eurotec SPO One Single Ply Overlay

Eurotec SPO One is a liquid applied single ply overlay system. This system has been specifically designed for use on degraded and failing single ply membranes. It is formulated using high performance synthetic resins designed to optimise the bond to the ageing single ply substrates.

Eurotec SPO One systems are available with guarantees and warranties of up to 20 years.

Benefits

- One coat application
- Prevents further degradation of the single ply membrane
- Removes the requirement of stripping and disposing of the existing membrane
- Rapid and easy application
- Cold applied, no hot works insurance required
- Can be trafficked once cured
- Can be applied at -5°C
- Resistant to industrial and environmental pollution
- Fire rated to Broof (t4)





Eurotec Bitumen Overlay

Eurotec Bitumen Overlay

Eurotec is a cold applied single pack flat roofing system which has been specifically designed for use on to aged bitumen and mastic asphalt. With a bond strength 5 times that of polyurethane coatings and low temperature application, allowing year round use. Eurotec is available with guarantees and warranties up to 25 years.

Benefits

- Simple and rapid application
- Air cured so can be applied at very low temperatures (-5°C)
- Excellent bond to the substrate using nano technology
- Cold applied, no hot works insurance required
- No further solar reflective treatment required
- Overcoat in 2 to 4 hours in ventilated conditions
- Units can be opened and re-sealed with no surface skinning inside the tin
- Fire tested to Broof(t4) and Class AA



Eurotec WB

Eurotec WB (Cold Melt)

Eurotec WB is a liquid applied coating system designed for use in new build applications to concrete decks. Offering a seamless and monolithic finish, Eurotec WB has no joints unlike the hot melt type systems. Eurotec WB has a BBA certificate and can be used as part of a green, blue or green/blue roof combination at zero degree falls. With a primer and a one coat wet on wet application Eurotec WB also enhances build schedules and reduces costs due to its speed of application. Eurotec WB is generally used in an inverted roof build up along with Coolface Insulation and ballast.

Benefits


- Heat free application
- BBA Certificate
- No joints
- One coat application
- 30 year warranties available




Eurotec Ultra

Eurotec Ultra is a fast curing, fully reinforced one coat roofing system which is suitable for all year round application. This rapid curing liquid applied system cures within one hour of application and once cured provides a seamless waterproof finish. This self terminating coating can reduce onsite costs compared to market leading systems and can greatly reduce build schedules. Eurotec Ultra is available with warranties up to 25 years.


Can be used as part of the Eurotec Ultra BUR (Built Up Roof)



Before



After




Benefits

- Rapid curing system
- Can be applied at -5°C
- VOC Free
- Instantly showerproof
- Single layer application minimising contract periods
- Once cured will allow for limited foot traffic
- Fire tested to Broof (t4)

Eurotec Ultra BUR (Built Up Roofing)

Eurotec Ultra BUR system comprises of a vapour control layer, Coolface insulation and a carrier membrane to which the Eurotec Ultra waterproofing system is applied. Eurotec Ultra BUR minimises the issues of board deflection and board ghosting and offers a completely flat seamless finish.

Available with warranties up to 25 years.



Before Waterproofing



Board Ghosting



Seamless Finish



During Waterproofing



Completed Waterproofing



phoenix



Euro Polymers Phoenix products are a range of refurbishment coatings which are designed to extend the life of existing buildings. These systems both waterproof and improve the aesthetics of buildings and can be applied to asbestos, galbestos, plastisol sheets and metal surfaces.

Eurocote AE

Eurocote ME

Eurocote Universal

CEC-Cote

Guttercote

Clearcote

Cladcote

Europol

Eurosol





Eurocote AE

Eurocote AE

Asbestos Encapsulationsystem

Eurocote AE systems encapsulate asbestos cement sheeting and offer warranties and guarantees of up to 20 years. Specialist cleaning systems are also available from Euro Polymers that meet the stringent HSE regulation requirements.

150%
TAXRELIEF



Before



After

Benefits

- No dismantling of asbestos structures
- No costly and hazardous disposal of asbestos cement sheets
- Simple and rapid application
- Overcoat from 2 hours in ventilated conditions
- Units can be opened and re-sealed with no surface skinning inside the tin
- UV stable
- Spray, roller or brush application options
- Robotic cleaning system available
- Eurocote AE systems can benefit from LRR tax relief offering up to 150% tax relief on the entire cost of the asbestos works. See QR link for details



Before



After

Eurocote ME

Eurocote ME


Metal Encapsulation System

Eurocote ME is specifically designed for use on external metal cladding applications. It is formulated using synthetic resins and fast drying solvents ensuring the optimum bond to difficult substrates. Eurocote ME is available in a wide range of colours, offering limitless design opportunities for refurbishment projects. Eurocote ME is provided with guarantees of up to 20 years.



Benefits

- Saves the cost of completely re-cladding.
- Flexible, cold applied, rapid & simple application
- Overcoat in about 1 hour in ventilated conditions
- No hot works insurance required
- Units can be opened and resealed with no surface skinning inside the tin
- Resistant to industrial and environmental pollution
- Spray, roller or brush application options





Eurocote Universal

Eurocote Universal

Eurocote Universal is a liquid applied coating which has been specifically designed to address changing details and repairs to numerous substrates. Eurocote Universal is applied in a single rapid curing layer and provides a durable finish which will last for 15 years.



Benefits

- Simple and rapid application
- Minimum preparation required
- 30 minute cure time
- Can crack bridge up to 10mm when fully matted
- Self terminates
- Can be applied wet on wet
- Year round application possible




CEC-Cote

CEC-Cote

Cut Edge Corrosion Coatings

CEC-Cote is a fast curing, two part cut-edge corrosion repair system that has been designed to be applied wet on wet. CEC-Cote will cure within 30 minutes. Minimal preparation work is needed and no primer is required. The speed of the application of the CEC-Cote system along with its excellent bond strength offers unrivalled benefits in its class.



Benefits

- Can be applied onto a damp substrate
- Minimal preparation required
- Year round application possible
- Quick and easy to apply – reducing scaffolding costs
- Wet on wet application
- Can be applied at -5°
- Single coat application






Guttercote

Guttercote

Guttercote is a fast curing two part gutter system which has been designed to be applied wet on wet. This system cures in 30 minutes and can be applied directly to rusted gutters without priming. Guttercote also benefits from 10, 15 and 20 year guarantees and warranties.




Before



After



Before



After

Benefits

- Wet on wet application
- Rapid cure, average 30 minutes
- No primer required, except on concrete
- Minimum preparation required
- No reinforcement to acreage
- Can crack bridge & re-structure failing gutters
- Guarantees of 10 & 15 years available

Clearcote

Clearcote

Clearcote is a liquid applied, UV stable clear coating that has been specifically designed for use on roof glazing. It is formulated using fast drying, solvented, synthetic resins that do not attack plastics. Clearcote systems protect roof glazing from further infra red and ultra violet damage and have shatterproof qualities. Clearcote is provided with guarantees of up to 15 years.




Benefits

- Flexible, cold applied, rapid & simple application.
- Overcoat in less than 1 hour in ventilated conditions.
- No hot works insurance required
- Tins can be opened and re-sealed with no surface skinning
- Resistant to industrial and environmental pollution
- Clear finish (not opaque)
- Anti-shatter properties
- Can be reinforced to repair cracks



Cladcote

Cladcote systems have been specifically designed for use on plastisol and metal cladding. The system has been formulated using synthetic resins and fast drying solvents ensuring the optimum bond to difficult substrates. Cladcote is available in a wide range of colours, offering limitless design opportunities for refurbishment projects. Cladcote offers a 10, 15 or 20 year guarantee.



Before




After



Benefits

- Cold applied, no hot works insurance required
- Saves the cost of completely re-cladding
- Quick and easy to apply
- Spray, roller or brush application options
- Flexible, cold applied, rapid & simple application
- Units can be opened and re-sealed with no surface skinning inside the tin



Europol One Coat

Europol is a moisture tolerant, cold applied liquid coating reinforced with glass fibres.


Colours: Black, Grey and White



Europol T

Europol T is a moisture tolerant, cold applied liquid coating reinforced with more glass fibres than standard Europol making it a thicker consistency.

Colours: Black, Grey and White



Europol Roof Repair

For filling roof cracks and leaking gutters. Can be applied 1 to 10mm thick


Available in Mid Grey.



Eurosol

A two coat elastometric solar reflective coating for asphalt and bituminous roofing systems.

Colours: White, Light Grey





Durus is the Euro Polymers range of highly durable coatings for balconies, car parks, railway platforms, turning circles and podium decks. With systems offering rapid application times and quick curing, these products offer a quick return to service and minimum disruption to tenants and building users.

Balconycote

Balconycote Flex

Eurogard Podium

Eurogard CP-TM

Eurogard CP

Eurogard CP Elite

durus







Balconycote


Balconycote

Balconycote is a slip resistant, durable, through coloured rapid curing walkway coating and is available with guarantees and warranties of 10 and 15 years.



Colours Available

Standard colours available. Design colours available upon request.



Balconycote Flex

Balconycote Flex

Balconycote Flex is a fast curing, highly durable and flexible anti slip waterproof coating and is available with guarantees and warranties of 10 and 15 years.



Colours

Standard colours and blended aggregate with clear sealer.








Eurogard Podium

Eurogard Podium

Eurogard Podium is a rapid curing podium deck waterproofing system which cures in 1 hour, offers instant access to following trades and reduces build schedules. Eurogard Podium system can be covered with tarmac or paving. Eurogard Podium is available with guarantees and warranties of 20 years.




Trafficable Service Deck



Eurogard CP-TM

Eurogard CP-TM

Lower and intermediate deck car park coating. Rapid curing, trafficable after 2 hours. Simple and rapid application. Used to define walkways, disabled bays and is available in a wide range of colour options for specific design requirements.





Eurogard CP

Eurogard CP



Top deck car park waterproof traffic system, also suitable for ramps. This rapid curing system offers a return to service within 2 hours.



Eurogard CP Elite

Eurogard CP Elite

Eurogard CP Elite is a high density durable MMA based car parking system designed specifically for high volume traffic areas such as turning circles or access ramps. With system build up from 3-10 mm thick, Eurogard CP Elite offers high performance waterproofing to highly trafficked decks.



euro

Areas of Application

POLYMERS GB

