



LIQUID ROOFING **SYSTEMS**

Leading the way in Cold Liquid Applied Waterproofing

CONTENTS

About Us	3
RapidRoof/RapidRoof Pro	4
RapidGutter/RapidGutter Pro	5
Ponding Filler/Crack & Joint/Rapid Detailer	6
RapidDeck/RapidDeck Pro	7
RapidDeck Car Park	8
RapidRoof Technical	9
Karnak Elasto-Kote	10
Elasto-Kote Asbestos & Metal Buildup	11
Elasto-Kote Single Ply & EPDM Buildup	12
Elasto-Kote Technical	13
FastCoat/FastCoat Buildup	14
FastCoat Pro/FastCoat Pro Buildup	15
FastCoat Technical	16
RapidRepair / Karnak 19 Ultra	17
Training and Technical	18
Guarantees and Testing	19

ASSOCIATIONS AND CERTIFICATIONS

LRS are members of the leading associations within the roofing and waterproofing industry. All of our products carry third party accreditation.

LRWA

LRWA, the Liquid Roofing and Waterproofing Association, consists of the leading manufacturers of liquid applied waterproofing, approved contractors and related material suppliers.

As an LRWA member, we are devoted to best in industry practice. We are dedicated to supplying the highest quality liquid applied waterproofing materials, backed by our professional technical support. We continually review and improve our products in line with the changing environment to ensure we are at the forefront of product development.

NFRC

LRS are long-standing and proud affiliate members of NFRC, helping to promote industry best practice through product supply and application.

Furthermore, our dedicated roofing training centre is approved to deliver the practical elements of Competent Roofer and approved by the NFRC.

CERTIFICATIONS

Certification and accreditation is at the heart of every product we manufacture and deliver. All our products are tested by third party testing houses and our product processes are externally audited to ensure consistency and quality.



ABOUT US



LEADING THE WAY IN LIQUID WATERPROOFING

Since 2004, LRS have manufactured and distributed high performance waterproofing solutions for the building, roofing and construction industries. All of our systems are leaders in their respective markets due to their unique credentials in waterproofing, longevity and application speed, making them the preferred choice for quality & cost-effective applications.

We focus on liquid applied products as we believe liquids provide the most effective waterproofing solutions. Liquid Applied systems allow flexibility in application for even the most detailed of roofs and their rate of application reduces both time and disruption on site.

Furthermore, with the increasing pressure on projects to eliminate site waste and reduce environmental impact, the nature of liquid systems means that waste is reduced to an absolute minimum.



PROJECT SPECIFICATIONS

We are here to help if your project requires specifications and pricing, get in touch with our team. We have a full technical support team on hand to discuss all your enquiries, or to help you find a local distributor 01948 841 877.



All of our systems are available both as a standard version offering a 10 year guarantee or as a professional version offering extended 15, 20 and 25 year guarantees respectively.

Whilst all our systems are manufactured to the same high quality, using the best raw materials, our pro-versions are designed to last longer, are backed with the highest accreditation and accepted for new build construction.

Our pro systems are only available for application by approved contractors. To find an approved contractor or to join our approved contractor scheme, contact our team on 01948 841 877.

PMMA SYSTEMS



RapidRoof is LRS' unique PMMA, high performance, rapid curing, UV stable, cold liquid applied waterproofing range. With a typical drying time of 20 minutes, RapidRoof is suitable for year round application. Applied by brush or roller, RapidRoof is one of the fastest and most cost effective waterproofing solutions for both commercial and residential projects.


With over 200% elasticity RapidRoof is tough, yet flexible enough to deal with most roof movement, unlike rigid systems. The RapidRoof range comes with our manufacturers product guarantee of 10 years as standard.

RapidRoof is ideal for domestic projects as well as both large and small commercial roofs and is available with an Anti-Skid finish for designated walkways and balconies. It comes in grey as standard or black if required (please call for other colour requirements, subject to minimum orders).

RapidRoof is a 2-component system which is simple to apply and due to its liquid application and versatility to adhere to most surfaces, RapidRoof will self terminate, in most cases eliminating the requirement for flashings, new trims and expensive detailing.


RapidRoof is designed to cure down to 0°C, which means it can be applied throughout the year.

10 YEAR RAPIDROOF BUILD-UP



*Full surface primer may be required on some applications

20 YEAR RAPIDROOF PRO BUILD-UP



**Primer required on all surfaces



RapidRoof Pro is our highest specification flat roofing system with the same great features as RapidRoof standard, however, by incorporating a full reinforcement matting layer into the Pro version it provides extended guarantees of up to 20 years.

Available exclusively to LRS approved contractors, RapidRoof Pro is backed by a BDA certification and is NHBC accepted. This makes it ideal for new build construction where an NHBC warranty is required, or domestic flat roofing projects and industrial projects where speed of application and curing times are important.

To become an approved contractor and gain access to our RapidRoof Pro system and extended 20 year guarantee, you must complete our in house training course with one of our training specialists. Speak to one of our team today to find out more on 01948 841 877.

Suitable for application on to: OSB3 roofing boards, mineral felt, asphalt, single ply, concrete, metal, fibre glass and compatible with standard GRP trims.



Based on our RapidRoof formulation, RapidGutter is a fast curing, cold liquid applied PMMA that is tough and durable enough to deal with high risk leak areas such as gutters.

With a typical drying time of 20 minutes, our RapidGutter is suitable for year round application. Applied by brush or roller, RapidGutter is one of the fastest and most cost effective waterproofing solutions. Suitable for both commercial and residential projects.

With over 200% elasticity RapidGutter is tough, yet flexible enough to deal with most regular building movement, unlike rigid systems. RapidGutter is designed to be applied directly onto most surfaces without the need for primer.

With continuous exposure to flowing and standing water, gutters are one of the biggest causes of failed roof systems. Given that RapidGutter is cold liquid applied, it provides a flexible solution to all gutter shapes and sizes.

RapidGutter is a 2-component simple to apply system due to its liquid application and versatility to adhere to most surfaces.

RapidGutter incorporates our Rapid Pro Detailer which benefits from the addition of premixed fibres which provides additional strength. It is applied at a rate of 2kg per m², 3kg = 10 joints at 1m x 0.15m.


RapidGutter is designed to cure down to 0°C, which means it can be applied throughout the year.

10 YEAR RAPIDGUTTER BUILD-UP

RapidGutter TopCoat
0.5kg per m²

Rapid Pro Detailer
2kg per m²

RapidGutter BaseCoat
1kg per m²




15 YEAR RAPIDGUTTER PRO BUILD-UP

RapidGutter TopCoat
1kg per m²

Rapid Pro Detailer
2kg per m²

RapidGutter BaseCoat
1kg per m²




20 YEAR RAPIDGUTTER PRO BUILD-UP

RapidRoof TopCoat
0.75kg per m²

RapidRoof
Detailing Primer
0.3kg per m²

Reinforcement
Matting
150gsm

RapidRoof BaseCoat
1.25kg per m²



ANCILLARY PRODUCTS

RapidRoof works on advanced PMMA formulations making the entire range rapid curing without compromising performance. No two roofs are the same and sometimes situations demand specific attention quickly. To meet this demand LRS have developed a range of ancillary products which overcome roof issues including ponding, cracks and large joints, and finer detailing which is not practical to detail with joint tape. Whilst designed to work in tandem with the Rapid systems they also offer exceptional application performance as stand alone products.



RapidRoof Crack and Joint Filler is a three-component resin mortar, designed for rapid and permanent repairs.

Crack and Joint Filler is the fast curing, high strength, trowel applied part of the RapidRoof system which delivers excellent adhesion, good chemical resistance, and fast curing properties, even at low temperatures.



RapidRoof Ponding Filler is a two-component resin mortar, designed for rapid and permanent repairs to level out areas of ponding water.

Ponding Filler is a high strength, fast curing, impact and abrasion resistant part of the RapidRoof system and has excellent mechanical properties, good chemical resistance and frost resistance which is impervious to water. Used to fill ponded area by pouring onto the primed floor and trowel finished.



RapidRoof Pro Detailer is a two-component resin which is designed to provide waterproofing cover for upstands, pipes and hard to reach detailed areas that are difficult to reinforce.

RapidRoof Pro Detailer benefits from the same great features of RapidRoof including its cure time, durability, and flexibility, with the additional benefit that it contains premixed fibres which provides additional strength and allows for secure detailing of difficult areas.

RapidRoof Pro Detailer can be applied in a single coat and is suitable for application onto most surfaces with exceptional adhesion properties.

Simple to apply and robust enough to deal with most roof detailing, RapidRoof Pro Detailer is the ideal product to help with difficult detailing areas.



PMMA BALCONY SYSTEMS

At LRS we consider balconies and walkways as roofs in that whilst they provide a space from which to walk or sit they also need to provide full waterproofing protection to the structure below. As such the system used needs to offer both excellent waterproofing along with being exceptionally tough and suitable for foot traffic.



RapidDeck is LRS' unique, cold liquid applied PMMA flooring system. Designed specifically to coat areas with high volume foot traffic, RapidDeck is robust yet flexible.


RapidDeck provides all the features of RapidRoof with the added benefits of an exceptionally hard wearing topcoat designed to protect the substrate whilst simultaneously reducing the risk of skidding. It's designed to be durable enough to withstand both heavy traffic and exposed conditions.

RapidDeck includes protection for all types of trafficked surfaces including footpaths, balconies, terraces, steps, staircases and factory floors.



A rapid curing flooring solution for both domestic and commercial applications, designed for the toughest environments, RapidDeck is guaranteed for up to 20 years.



10 YEAR RAPIDDECK BUILD-UP



20 YEAR RAPIDDECK PRO BUILD-UP





RapidDeck Car Park is a cold liquid applied, fully bonded, seamless, PMMA resin-based car park coating system. It is a rapid curing membrane that provides a tough finish coupled with up to 200% elasticity.


With an anti-skid topcoat, available in various colours (subject to minimum order quantity), RapidDeck Car Park provides a cured membrane ideal for vehicle traffic. With great flexibility and fast application, RapidDeck Car Park is designed for both commercial and residential car parks.

RapidDeck Car Park is a 2-component system which is simple to apply due to its liquid application and versatility to adhere to most surfaces. RapidDeck Car Park system will self terminate, in most cases eliminating the requirement for flashings and expensive detailing materials.


Its fully bonded application prevents tracking of water and its seamless finish eliminates the risk inherent in jointed systems.




INTERNAL DECK BUILD-UP



RAMP BUILD-UP



TOP DECK BUILD-UP



TECHNICAL STATISTICS	
Dry Film Thickness	1.5mm - 2mm
Application Rate	1.5kg / 2kg m ²
Dry Time	20 minutes
Fire Test	BROOFT4
Application temperature	0°C - 35°C
Specific Gravity	1.65g / cm ²
Load Strength	150N
Elongation	200%

SUITABLE SURFACES		
Detailing Primer required		
Concrete	Fully prime ✓	Fully prime ✓
Mineral felt	Prime joints ✓	Fully prime ✓
Asphalt	Prime joints ✓	Fully prime ✓
OSB3	Prime joints ✓	Fully prime ✓
Metal	Prime joints ✓	Fully prime ✓
Fibre Glass/GRP	Prime joints ✓	Fully prime ✓
Single Ply	Fully prime ✓	Fully prime ✓

PRODUCT RANGE TABLE			
PRODUCT	SIZE	CODE	COLOUR
Detailing Primer	1.5kg	RRGP1.5	Clear
Detailing Primer	3kg	RRGP3	Clear
Detailing Primer	5kg	RRGP5	Clear
Waterproof	7.5kg	RRWP7.5/RRWPB7.5	Grey / Black
Waterproof	15kg	RRWP15/RRWPB15	Grey / Black
Anti-Skid	5kg	RRAS5/RRASB5	Grey / Black
Anti-Skid	10kg	RRAS10/RRASB10	Grey / Black
Joint Tape	100mm x 25m	RRJT100	White
Joint Tape	100mm x 180m	RRJT100L	White
Chopped Strand Matting	1m x 25m	RRJT1X25150	White
Chopped Strand Matting	1m x 180m	RRJT1X180150	White
Waterproof Kit	5m ²	RRWP05KIT	Grey
Waterproof Kit	10m ²	RRWP10KIT	Grey
Waterproof Kit	20m ²	RRWP20KIT	Grey
Waterproof + Anti-Skid Kit	5m ²	RRWPAS05KIT	Grey
Waterproof + Anti-Skid Kit	10m ²	RRWPAS10KIT	Grey
Waterproof + Anti-Skid Kit	20m ²	RRWPAS20KIT	Grey
Ponding Filler Kit	17kg	RRPF17	Grey
Crack + Joint Filler	10kg	RRCJF10	White
Pro Detailer	3kg	RRPROD3	Grey
Pro Detailer	5kg	RRPROD5	Grey
Catalyst	300g	RRC15	White
RapidDeck Car Park Primer	5kg	RDP5	Clear
RapidDeck Car Park Primer	25kg	RDP25	Clear
RapidDeck Car Park Waterproof	7.5kg	RRWP7.5	Grey
RapidDeck Car Park Waterproof	15kg	RRWP15	Grey
RapidDeck Car Park Scratch Coat (A)	25kg	RDSCPA25	White
RapidDeck Car Park Scratch Coat (B)	25kg	RDSCPB25	White
RapidDeck Car Park Top Coat	25kg	RDTC25	Grey
RapidDeck Car Park Quartz Aggregate	25kg	RDQA25	White



ELASTOMERIC SYSTEMS



KARNAK ELASTO-KOTE

Elasto-Kote is an SEBS thermoplastic waterproofing roof system designed specifically for application onto pitched and flat roofs including metal, coated metal, concrete, asbestos, EPDM and Single Ply surfaces. With built-in Rust Inhibitor and FM approved, Elasto-Kote offers an exceptionally high-performing elastomeric waterproofing system, it is up to 85% solar reflective and has 650% elongation.

Our product is a single component self-priming SEBS elastomeric thermoplastic which is applied in 2-3 coats and comes with a 10 year product guarantee as standard (extended guarantees available).

This system is resistant to ponding, making it suitable for the entire roof structure, including drainage gutters. The product can be applied above 5°C, dries within 4 hours and is typically shower proof in 30 minutes. Suitable for applications using brush, roller or with the use of an airless sprayer, the application of Elasto-Kote is both fast and simple.

Suitable for application on to: metal, plastisol, fibre cement, asbestos, EPDM, single ply, TPO and expanding foam.

Elasto-Kote can be spray applied using an airless sprayer making it ideal for rapid application to corrugated surfaces and large areas, offering 10, 15 and 20 year guarantees. A 2-3 coat application, leaving a highly reflective white or portland grey finish and offering a full waterproofing solution extending the roof life expectancy.



INDUSTRIAL ROOFS

Metal profile roofs, if not maintained, rapidly become vulnerable to accelerated deterioration through weathering, resulting in delamination of surface coating and rust. Elasto-Kote has a built in primer and rust inhibitor formulation.

The system also comes with detailing materials and reinforcement tape allowing complete roof renovation and restoring the roofs waterproofing structure, giving the appearance of a brand new roof.

FLAT ROOFS

Elasto-Kote is resistant to ponding water, making it ideal for overcoating existing flat surfaces. Suitable surfaces include single ply and EPDM sheet roofing. Please contact our technical team for specific application specifications and to check project suitability.

INDUSTRIAL APPLICATIONS

ASBESTOS APPLICATIONS

ELASTO-KOTE.


10 YEAR ASBESTOS BUILD-UP



Reinforcement required on some surfaces' midlaps

ELASTO-KOTE *PRO*.


15 YEAR ASBESTOS BUILD-UP



METAL APPLICATIONS


ELASTO-KOTE.

10 YEAR METAL BUILD-UP



ELASTO-KOTE *PRO*.

20 YEAR METAL BUILD-UP




FLAT ROOF APPLICATION

SINGLE PLY APPLICATION


ELASTO-KOTE.

10 YEAR SINGLE PLY BUILD-UP



ELASTO-KOTE *PRO*.


20 YEAR SINGLE PLY BUILD-UP



EPDM APPLICATIONS


ELASTO-KOTE.

10 YEAR EPDM BUILD-UP



ELASTO-KOTE *PRO*.

20 YEAR EPDM BUILD-UP



KARNAK ELASTO-KOTE.®



BENEFITS



Sprayable




Self-Priming



Single Component



30 Mins Showerproof



85% Solar Reflective



650% Elongation

TECHNICAL STATISTICS

Dry Film Thickness	1.2 - 1.8mm
Application Rate	1.2ltr - 2ltr
Dry Time	Min overcoat 12 - 24 hours
Fire Test	FM approved
Application temperature	+5°C - 35°C
Specific Gravity	1.05 - 1.15 (H2O=1)
Load Strength	1650psi
Elongation	650%

BONDS TO

Metal	✓
Asbestos	✓
Concrete	✓
Fibre Cement	✓
Single Ply	✓
TPO	✓
EPDM	✓

PRODUCT RANGE TABLE

PRODUCT	SIZE	CODE	COLOUR
Elasto-Kote	18.9ltr	ELASTOKOTE PG18	Portland Grey
Elasto-Kote	18.9ltr	ELASTOKOTE W	White
Karna-Flex	850ml	KFLEX TUBES	White
Karna-Flex Gun	-	KFLEX TUBE GUN	-
Karna-Flex	3.4ltr	KFLEX 3.4G	Grey
Karna-Flex	3.4ltr	KFLEX 3.4B	Black
Karna-Flex	10.5ltr	KFLEX 10.5GREY	Grey
Karna-Flex	10.5ltr	KFLEX 10.5	Black
Karna-Flex Tape	100mm	KFT100	White
799 Single Ply Cleaner	1ltr	EKSPW799	Pink Liquid
507 EPDM Primer Wash	3.4ltr	EKEPDMW507	Yellow Liquid



PURE POLYURETHANE SYSTEMS



FastCoat is LRS' single component liquid applied pure polyurethane system, which provides fully bonded, tough, durable and seamless waterproofing. By using our exclusive pure polyurethane technology, we deliver systems which ensure long performance life and exceptional flexibility.

Polyurethanes are known for their exceptional strength and elastic properties. FastCoat offers complete systems for waterproofing roofs, balconies, gutters and walkways.

Unlike many alternatives, FastCoat's fast cure technology offers substantial reductions in application time, allowing significant project savings while also reducing site disruption. Typically showerproof in 30 minutes and fully dry in approximately 4 hours. Smaller projects can often be completed in a day.

Its fully reinforced specification makes FastCoat suitable for flat, pitched and vertical applications. Our standard FastCoat system comes with a 10 year guarantee.




10 YEAR FASTCOAT BUILD-UP

FastCoat Primer (if required)
Up to 0.5kg per m²

FastCoat TopCoat
0.75kg per m²

FastCoat BaseCoat
1.25kg per m²

Reinforcement
Matting
225 gsm



FAST CURING




FastCoat Pro is LRS' premier roof waterproofing system which offers an extended guarantee of up to 25 years. A fully reinforced, single component pure polyurethane system, FastCoat Pro offers an exceptional long-term solution to flat roof waterproofing, balconies and walkways.

Because of their exceptional strength and elastic properties, polyurethanes are a popular choice for flat roofing contractors. FastCoat Pro pure polyurethane is BBA certified for new roof installations and accepted by NHBC.


Only available to LRS' approved contractors, FastCoat Pro is our extended guarantee version of FastCoat, which requires training by one of LRS' expert training team to enable use for the right specification.

Suitable for application onto: OSB3 roofing boards, mineral felt, asphalt, concrete, metal, fibre glass and compatible with standard GRP trims.

20 YEAR FASTCOAT PRO BUILD-UP



25 YEAR FASTCOAT PRO BUILD-UP



BENEFITS



Fast Curing



30 Mins Showerproof



Single Component



Applied in 2 Coats



Seamless



Extremely Elastic

TECHNICAL STATISTICS

Dry Film Thickness	Minimum 1.5mm
Application Rate	2kg / 2.5kg / 2.9kg
Dry Time	2 - 4 hours
Fire Test	Broof t4
Application temperature	+5°C - 35°C
Specific Gravity	1.3g / cm3
Load Strength	14N/mm (150 34-1)
Elongation	600%

SUITABLE SURFACES

Primer required	FASTCOAT	FASTCOAT PRO
OSB3	No Primer ✓	No Primer ✓
Mineral felt	No Primer ✓	No Primer ✓
Asphalt	No Primer ✓	No Primer ✓
Concrete	Porous Primer Flex ✓	Porous Primer Flex ✓
Metal	MS 2 Part Primer ✓	MS 2 Part Primer ✓
Fibre Glass/GRP	MS 2 Part Primer ✓	MS 2 Part Primer ✓
Single Ply	MS 2 Part Primer ✓	MS 2 Part Primer ✓

PRODUCT RANGE TABLE

PRODUCT	SIZE	CODE	COLOUR
FastCoat	25kg	FCP25	Grey
MS 2 Part Primer	12.5kg	FCMS2P12.5	Grey
Porous Primer Flex	4kg	FCPSF4	Amber
GC Primer	20kg	FCGCP20	Grey
Traffic Coat	4kg	FCBC4	Clear
Emery Aggregate	25kg	FCEA25	Black
PU Joint Sealer	600ml	FCPUJS600	Grey
Chopped Strand Matting	1m x 25m	RRJT1X25	White
Chopped Strand Matting	1m x 130m	RRJT1X180	White



20 MINUTE CURE SOLUTION



RapidRepair is LRS' 20 minute emergency repair system. Part of the RapidRoof range, this product is designed to provide an emergency solution for leaking roofs, gutters and other surfaces which have suffered damage or present a risk of leaking.

RapidRepair offers all the same great features of the unique RapidRoof formula with the addition of premixed fibres, providing greater strength and bridging properties, allowing a faster and more effective application to acute areas of damage.

RapidRepair can be applied in a single coat and is suitable for application onto most surfaces with exceptional adhesion properties. With over 200% elasticity, full flexibility, high tensile strength and UV stable, RapidRepair provides a long-term repair which will not crack or become brittle over time.

RAPID REPAIR BENEFITS

	
Self-Terminating	20 Minute Drying
	
Two Component	Premixed Fibres
	
200% Elasticity	Cures down to 0°C

UNDERWATER REPAIR



Karnak 19 Ultra Instant Repair is the next generation of elastomeric flashing cement. Designed as the most time saving and cost effective roof leak repair product on the market. It is therefore used to cover cracks in failing systems because this product can reseal a leak instantaneously and can even be applied UNDERWATER.

Scientifically compounded with a selection of rubber reinforced asphalt, mineral fibres, and refined solvents. 19 Ultra is manufactured to a heavy pliable consistency for easy application by trowel. 19 Ultra provides a durable elastomeric coating of greater strength, excellent adhesion and high resistance to water and weathering.

19 Ultra is excellent for sealing cracks in concrete and brick, as a joint filler for precast roof slabs, for repair, patch and flashing detail on mineral felt and asphalt roofs, and for general purpose use in maintenance of exposed buildings and structures.

KARNAK 19 ULTRA BENEFITS

	
Works Underwater	Instant
	
Permanent	Elastic
	
Cost Effective	Wet & Dry Surfaces

BECOME AN APPROVED CONTRACTOR

WORKING TOGETHER TO IMPROVE THE INDUSTRY

As a responsible manufacturer we believe that roofing is a highly skilled profession and we work hard with recognised industry bodies and associations to help lift the standards within the industry. This is why we continually work with the NFRC, LRWA and Confederation of Roofing Contractors to look at ways to improve our approved contractor training by incorporating industry best practices.

TRAINING

BECOME AN LRS APPROVED CONTRACTOR

As a member of the LRWA and NFRC, and accepted by NHBC, we are passionate about waterproofing standards and ensuring contractors are fully trained on our systems so that projects are completed quickly and effectively.

Whilst our systems are designed to be comprehensive to apply and do not require application by an approved contractor, in order to get the best performance and benefit from extended guarantees we offer approved contractor status on all our systems.

APPROVED CONTRACTOR STATUS

LRS run approved contractor training schemes on all our systems. We also offer contractors full support and a preferred contractor list to building owners.

As an LRS approved contractor you will receive exclusive access to our Pro systems across all our ranges including: RapidRoof Pro, RapidGutter Pro, RapidDeck Pro, FastCoat Pro and Elasto-Kote Pro. These are the third-party accredited systems which offer BBA, BDA, FM and NHBC accepted applications for new builds.

1 DAY TRAINING COURSE

Our approved contractor training is a comprehensive 1-day programme which is highly recommended for both new and experienced liquid applicators and roofing contractors, as it provides valuable time saving tips and essential techniques.



TECHNICAL

At the heart of everything that LRS does is our dedication to product performance and technical excellence.

We believe that liquid waterproofing provides the best solutions for flat and pitched roofs, gutters and car parks.

We are dedicated to continually improving the quality of both our products and our service. We have a technical support team, supported by field based technical managers who can provide site specifications and telephone or onsite support.

Our downloadable product data sheets, application guides and certifications can be found on our website www.lrs-systems.co.uk.

Further information about specific technical data can also be made available upon request by contacting our technical team who will be happy to help. For site specifications please contact the technical team on **01948 841 877** or email technical@lrs-systems.co.uk.



UP TO 25 YEARS GUARANTEE

GUARANTEES AND TESTING

Our systems are tested to the highest standards to ensure they are fit for purpose and deliver exceptional performance.

We only manufacture and distribute high performance materials and as such all our systems come with a 10 year guarantee as standard, with our pro ranges offering extended guarantees of up to 25 years.

Our systems are third party accredited by the largest testing houses in the UK, Europe and the United States including BBA, BDA and Factory Mutual. Our production processes are externally audited to ensure complete quality control.

We continually test our products to the latest standards and whilst our testing certificates are available on our website, our technical team are on hand to deal with specific test enquiries.

For further information visit www.lrs-systems.co.uk or call our team on **01948 841 877**.



PRODUCT GUARANTEES BREAKDOWN

	10 Year Guarantee
	Up to 20 Year Guarantee
	10 Year Guarantee
	15 Year Guarantee
	10 Year Guarantee
	Up to 20 Year Guarantee
	10 Year Guarantee
	10 Year Guarantee
	Up to 25 Year Guarantee
ELASTO-KOTE.	10 Year Guarantee
ELASTO-KOTE PRO .	Up to 20 Year Guarantee



LIQUID ROOFING SYSTEMS LTD

 Roofing House, Prees Green, Whitchurch, SY13 2BN

 01948 841 877

 enquiries@lrs-systems.co.uk

 www.lrs-systems.co.uk

